

A Truck



■ Vehicle

Length 10.5 m


Width 2.495 m (extended to 1.0 m)

Height 3.55 m

■ Generator

HIT-20KK-3 20KVA

Layout



Spec

Vehicle	ISUZU Lenght 10.5m Width 2.495m(extended to 1.0m) Height 3.55m Weight 19965kg
Generator	HIT-20KK-3 20KVA
AUDIO	
CONSOLE	Main Room : TAMURA NT-880 (60Fader)
	Sub Room : TAMURA NT-660 (30Fader)
Analog I/O	Main Room : 208Mic/Line in 98Line out
	Sub Room : 168Mic/Line in 96Line out
Digital I/O	Main Room : 36AES in , 51AES out
	Main Room : 480MADI in 480MADI out
	Main Room : 64 × 2Dante in 64 × 2Dante out
	Sub Room : 24AES in, 31AES out
	Sub Room : 320MADI in 320MADI out
SDI in	Main Room : 2SDI in
	Sub Room : 2SDI in
GPIO in	Main Room : 12GPIO in
	Sub Room : 12GPIO in
INSERTION	Main Room : 24Analog , 4AES , 32MADI
	Sub Room : 8Analog , 8AES
Stage Box 1 I/O	48Mic/Line in , 16Line out / 64MADI in , 64MADI out / 64DANTE in , 64DANTE out
Stage Box 2 I/O	48Mic/Line in , 16Line out / 16AES in , 16AES out / 64MADI in , 64MADI out
Stage Box 3 I/O	48Mic/Line in , 16Line out / 64MADI in , 64MADI out
MONITOR SPEAKER	Main Room : Amphion One25A(STEREO) , GENELEC 8020A × 5 + 7050B(5.1)
	Sub Room : GENELEC 8020A × 5 + 7050B(5.1)
Intercom	CLEAR-COM(IF4W-4)

Image



